

SAFETY DATA SHEET

Substain-N® 30-0-0

Section 1 - Identification

Product Substain-N® 30-0-0

Used as a fertilizer in agricultural applicaltions.

Recommended Use:

Manufacturer TradeMark Nitrogen Corp.

Address 1216 Old Hopewell Road, Tampa, FL 33619

Phone (813) 626-1181 **24 Hour Emergency** Chemtrec

Contact (800) 424-9300

Section 2 - Hazard Identification



Signal Word: WARNING

Hazard Statements

H303 May be harmful if swallowed

H315 Causes skin irritationH320 Causes eye irritation

H335 May cause respiratory irritation

Precautionary Statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103 Read label before use

P264 Wash hands thoroughly after handling

P280 Wear eye protection, protective clothing, protective gloves

P301+P330 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P332+P313 If skin irritation occurs: Get medical advice / attention

P337+P313 If eye irritation persists: Get medical advice / attention

P501 Dispose of contents / container according to local, regional, national, and

international regulations

Section 3 – Composition

Ingredients	Component	CAS. No.
A proprietary aqueous solution of;	Urea (CO(NH ₂) ₂)	57-13-6
	Triazone	7098-14-8
	Water	773-18-5

Section 4 - First Ai	d Measures
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.
Skin Contact	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact	If in eyes: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.
Ingestion	If swallowed: Do NOT induce vomiting unless directed to do so by medical personnel. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Seek medical attention.
Acute Health Hazards	May cause mild eye irritation. Prolonged skin contact may cause irritation with redness and itching. Inhalation of mists may cause upper respiratory tract irritation. Swalling large amounts may cause gastric irritation.
Chronic Health Hazards	None expected under normal conditions. Prolonged skin contact may result in dermititus (inflamation and redness of skin).

Section 5 – Fire Fighting Measures

Suitable Extinguishing
Techniques &
Equipment

Not combustible or reactive, use extinguishing media suitable for surrounding material. Wear self-contained breathing apparatus and full protective gear.

Chemical Hazards From Fire

In a fire this material may decompose and produce carbon oxides, oxides of nitrogen and ammonia.

Special Fire Fighting Procedures

Use extinguishing agent most appropriate to surrounding materials.

NFPA Rating Health - 1 (Slight) Fire - 0 (Least)

Reactivity - 0 (Least)



Other Do not allow run-off from fire fighting to enter drains or water courses.

Section 6 - Accidental Release Measure

Personal Precautions Avoid splashing. Prevent exposure to spilled material with the use of proper PPE.

Protective Equipment PPE should include gloves, goggles and protective clothing.

Containment

Avoid release to environment. Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms.

In Case of Spill

Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. If uncontaminated, recover and re-use.

Section 7 - Safe Handling & Storage

Precautions for Safe Handling & Storage Store in a well ventilated cool dry place. Containers should be kept closed and properly labeled. Keep away from open flames, hot surfaces and sources of ignition. No smoking, eating or drinking while using this product. Avoid all unnecessary exposure. Do not breathe mist, vapor or spray. Store IBC's and other similar containers at moderate temperature (less than 105F / 41C).

Incompatibility Store away from incompatable materials.

Section 8 - Exposure Controls / Personal Protection

Exposure Limits Component Permissible Exposure Threshold Limit Short Term Immediately Dangerous Limit Value Exposure Limit to Life or Health Not Established Not Established Urea Not Established Not Established (CO(NH₂)₂)Ammonia NH₃ 300ppm 25 ppm 24 mg/m³ 35 mg/m³ 50 ppm 35 ppm US. Workplace Environmental Exposure Level (WEEL) Guides: Component: Type: Value: Form: Urea TWA 10 mg/m³ (CAS 57-13-6) **Engineering Controls** Local or general exhaust. Eyewash and emergency shower facilities should be available. Personal Protective Eyes Chemical safety goggles or safety glasses with side shields. Equipment Impervious chemical protective gloves. Hands None required under normal conditions. NIOSH approved respirator if there is a mist of the product. Respiratory Protective Clothing Gloves Protective Clothing Goggles Respiratory Protection Section 9 - Physical & Chemical Properties Appearance and Odor Clear, colorless liquid may have a slight Specific Gravity 1.24 - 1.29 @ 68°F (20°C) amine-like odor. **Boiling Point** 220°F at 1 atmosphere (104.4°C) Molecular No Data Available Weight Freezing Point No Data Available Solubility in Miscible in water Water Vapor Pressure No Data Available Flash Point Not flammable Weight per Gallon 10.5 lbs/gal @ 68°F рΗ 9 - 11 Gallons per Ton 190 gal / ton Salt-Out Temp 0°F (-17°C) Flammability Limits No Data Available Auto Ignition Not Flammable Temp UEL No Data Available LEL No Data Available Section 10 - Stability & Reactivity Reactivity Product is not reactive under normal conditions. Avoid interaction with heat (flames), oxidizers, acids or alkalis. Stability Product is stable under normal conditions. Hazardous Reactions If mixed with chlorine or hypochlorites, it may form nitrogen trichloride which may explode spontaneously in air. Conditions to Avoid Keep away from direct heat sources. Avoid direct sunlight. Avoid extreme high temperatures and extreme low temperatures. Keep from freezing. Incompatible Materials Strong oxidizing materials, strong acids, halogenated compounds, copper, zinc and their alloys, including brass, bronze and galvanized materials. Contact your sales representative or a metallurgical specialist to ensure compatability with your equipment. Hazardous Extreme heat may cause decomposing to carbon oxides, ammonia and nitrogen oxides.

Decomposition **Products**

Section 11 - Toxicology Information

Routes of Exposure	Inhalation, ingestion	
Symptoms and Signs	Eyes	Mild eye irritation.
of Exposure	Skin	Mild irritant.
	Inhalation	May irritate respiratory tract and mucous membranes.
	Ingestion	Can cause abdominal pain, vomiting, diarrhea and methemoglobinemia.
Long Term Effects	Methemoglobinemia is the primary long-term health effect of over-exposure.	
Toxicity	No limits have been set for this material.	

Acute Toxicity Product Criteria Species Dose

Urea LD50 Oral Rat - Male Female

Specific Target Organ No Data Available

Toxicity (Single Exposure)

Specific Target Organ No Data Available Toxicity (Repeated Exposure)

Exposure Symptoms

Eye contact: Irritation, watering Inhalation: May cause respiratory

irriation

Skin Contact: May cause mild skin

irritation

Ingestion: Over exposure by ingestion is unlikely under normal working conditions. Adverse symptoms may include nausea or vomiting,

8,471 mg / kg

stomach pains, diarrhea.

Potential Chronic Health Effects

> No known significant effects or critical hazards General

Carcinogenicity Not classified Mutagenicity Not classified Teratogenicity Not classified Developmental Not classified

Effects

Fertility Effects Not classified

California Prop 65 WARNING: This product is not listed on the California Prop 65 database. For more information go to www.p65warnings.ca.gov

Section 12 - Ecological Information

Water High concentrations may be harmful to fish and other aquatic organisms. **Ecotoxicity** Criteria Product Result Species Exposure Urea Acute EC50 3910000 µg/l Daphnia -48 hours fresh water Daphnia Magna -Neonate

Crustaceans -Acute LC50 1,000 mg/l 48 hours Marine Water Chaetogammaru

s marinus -

young

Acute LC50 5,000 µg/l fresh Fish - Colisa 96 Hours

> water Fasciata -Fingerling

Chronic NOEC 2 g/L Fresh water Fish -30 days

> Heteropneustes fossils

LC50 >6810 mg/l Leuciscus Idus 96 Hours

Persistence and Degradability

Product is biodegradable under aerobic & anerobic conditions.

Bioaccumulative potential

The potential for bioconcentration in aquatic organisms is expected to be low.

Mobility in soil No data available for this product.

Other adverse effects Harmful to aquatic life. Harmful to the environment if released in large quantities. Excessive nutrient runoff to a body of water may result in

eutrophication.

Section 13 - Disposal Considerations

Waste This material is harmful to the aquatic environment. Keep out of sewers and waterways. Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling. Additional Information Dispose of used containers at an approved waste handling facility. Empty containers may contain residue of the product, follow label warnings even after container is emptied. Section 14 - Transport Information DOT Not regulated as dangerous goods IMDG Not regulated as dangerous goods IATA Not regulated as dangerous goods TDG Not regulated as dangerous goods Mexico Classification Not regulated as dangerous goods Section 15 - Regulatory Information United States - SARA This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Hazard Category Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire - No Pressure - No Reactive - No Acute - No Chronic - No SARA Title III This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Information Reauthorization Act of 1986 and 40 CFR Part 372: CAS No. Chemical CERCLA RO SARA Reporting

CERCLA / Superfund, 40 CFR Part 117, 302

If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.

302

N/A

304

N/A

313

N/A

TSCA A

All components of this product are listed on the Active TSCA inventory.

57-13-6

(lbs.)

N/A

Section 16 - Other Information

Urea

ssue Date	5/30/2024

Date of Revision

May 2024 revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.

Disclaimer

The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.