

SAFETY DATA SHEET

Ferric Nitrate Solution 10% Fe

Section 1 - Identification

Product Ferric Nitrate Solution 10% Fe

Recommended Use:

Utilized in agricultural applications.

Hazard Statements:

May intensify fire; oxidizer

May be harmful if swallowed

May cause respiratory irritation

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure

H272

H303

H314

H335

H373

Manufacturer TradeMark Nitrogen Corp.

Address 1216 Old Hopewell Road, Tampa, FL 33619

Phone (813) 626-1181 **24 Hour** Chemtrec **Emergency** (800) 424-9300

Contact

Section 2 - Hazard Identification



CUSOF

Signal Word: WARNING

Precautionary Statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P262 Do not get in eyes, on skin, or on clothing
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P281 Use personal protective equipment as required.

P284 Wear respiratory protection.
P301 IF SWALLOWED:
P331 Do NOT induce vomiting.
P313 Get medical advice/attention.
P303 IF ON SKIN OR HAIR:

P361 P353 Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304 IF INHALED

P340 Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P313 Get medical advice/attention.

P305 IF IN EYES

P351 P338 Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 P313 If eye irritation persists: Get medical advice/attention.

P370 P378 In case of fire: Use water for extinction.

attention if irritation persists

P410 P403 Protect from sunlight. Store in a well-ventilated place.

P402 Store in a cool, dry place.

Section 3 - Composition

ŭ	Component	CAS. No.	Percent by Weight	Percent as Meta
	Ferric (III) Nitrate	10421-48-4	43%	10.0%
	$(Fe(NO_3)_3)$			
	Nitric Acid (HNO ₃)	7697-37-2	0-5%	
	Water (H ₂ 0)	7732-18-5	Balance	

Section 4 – First Aid Measures Inhalation If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.

Skin Contact	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes.
Eye Contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical

Ingestion If swallowed: **Do NOT induce vomiting**. Drink large amounts of water. Never give anything by mouth to an unconscious person. Seek medical attention.

A -- - + - | | - - | + |-

Acute Health Harmful if swallowed or inhaled. Destructive to muccous membranes and upper respiratory tract, eyes and skin. Redness and irritation of tissue may occur. Hazards

Chronic Health Hazards

Excess iron intake can lead to cell damage, lipid peroxidation and DNA mutagenesis. In severe cases it can lead to hemochromatosis. Other chronic effects can include metabolic syndrome, type 2 diabetes, sarcopenia, non-alcoholic fatty liver disease and Alzhimer's and other neurodegenerative diseases.

Section 5 - Fire Fighting Measures

Extinguishing Techniques & Non-combustible, but can contribute to the intensity of the fire. Wear self-contained breathing apparatus and full protective gear.

Use water spray - not water jet

Equipment

Suitable

Chemical Hazards From Under fire conditions, this product behaves as an oxidizer. Contact with oxidizable substances may result in ignition. This material may decompose and produce

acrid vapors and oxides of nitrogen and carbon. Fire

Special Fire Fighting

Use water spray. CO2 or halon may provide limited control.

Procedures

NFPA Rating Health - 1 (Slight)

Fire - 0 (Least) Reactivity - 1 (Slight) OXY - Oxidizer

Other Do not allow run-off from fire fighting to enter drains or water courses.

Section 6 - Accidental Release Measure

Personal Avoid splashing. Prevent exposure to spilled material with the use of proper PPE.

Precautions Protective

PPE should include gloves, goggles, face shield and level C protective suit.

Equipment

Containment Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms.

In Case of Spill Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. If

uncontaminated, recover and re-use.

Section 7 - Safe Handling & Storage

Storage

Recommended storage above 40°F (4° C). Store in a well ventilated cool, dry place out of direct sunlight. Prevent from freezing. Containers should be kept

Safe Handling & closed and labeled properly. Liquid is an oxidizer and may cause fire with combustibles.

Incompatibility Avoid contamination with combustible materials. Keep away from fire. Extreme heat may cause decomposing to toxic fumes of nitrogen oxides.

Section 8 - Exposure Controls / Personal Protection

Immediately Exposure Limits Component Permissible Threshold Limit Value Short Term Exposure

Exposure Limit Limit Dangerous to Life or Health

Not Established

Not Established

Ferric (III) Nitrate $(Fe(NO_3)_3)$

Not Established Nitric Acid (HNO₃) 2 ppm (TWA) 2 ppm 4 ppm 25 ppm

Water (H₂O) Not Established Not Established Not Established Not Established Provide ventilation sufficient to maintain exposure below PEL/TWA/TLV. Washing facilities should be available.

Engineering

Controls Personal

Eves Chemical safety goggles and full face shield Protective Hands Chemical resistant gloves with gaunlet.

Equipment None required under normal conditions. Self contained respiratory equipment should be used under spill situations. Respiratory

> Protective Clothing Chemical resistant protective clothing.

Not Established





Gloves

Goggles

Face Shield

Protective Clothing

Section 9 - Physical & Chemical Properties Appearance and A reddish to brown liquid. Slight acrid Specific Gravity 1.455 at 68°F (20°C) Odor odor. Boiling Point > 212°F (>100°C) at 1 atmosphere Molecular Weight Not Applicable Freezing Point No Data Available Solubility in Water Completely soluable in water Vapor Pressure No Data Available Evaporative Rate No Data Available Weight per 12.13 lbs./gal рН Gallon Flash Point Salt-Out Temp < 40°F (4°C) Not Flammable Flammability Auto Ignition Temp Not Flammable Not Flammable Limits

LEL

Section 10 -Stability & Reactivity

Reactivity Product may act as an oxidizer Stability Product is stable under normal conditions. Hazardous Hazardous polymerization will not occur. Reactions

No Data Available

Conditions to Elevated temperatures may cause container to rupture. Avoid evaporation to dryness.

Avoid

UEL

Incompatible Avoid contact with organic or other oxidizable materials. Avoid contact with cyanides, sulfites, chlorine or chlorine bleaches, strong alkalis, mild steel, strong Materials reducting agents and finely powdered metals

Extreme heat may cause decomposing to toxic fumes of nitrogen oxides. Hazardous

Decomposition Products

Section 11 - Toxicology Information

Inhalation, ingestion or skin/eye absorption Routes of Exposure

Symptoms and Eyes May cause eye damage

Signs of Mild irritant. Skin

Exposure of gases or mist causes irritation to the upper respiratory system, including the mucous membranes of the nose, mouth and throat. Inhalation

Coughing, fever, nausea, irritability, spasms, possible pneumonia, apathy, headaches, weakness and chemical burns if inhaled.

N/A

Ingestion may cause upset stomach.

Long Term Excess iron intake can lead to cell damage, lipid peroxidation and DNA mutagenesis. In severe cases it can lead to hemochromatosis. Other chronic effects can Effects

include metabolic syndrome, type 2 diabetes, sarcopenia, nonalcoholic fatty liver disease and Alzheimer's and other neurodegenerative diseases.

Carcinogen The International Agency for Research on Cancer has not classified ferric nitrate for its carcinogenic potential (IARC 1987).

Section 12 cological Information

No Data Available Water Section 13 - Disposal Considerations

Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling. Waste

Section 14 – Transport Information

This material is hazardous as defined by 49 CFR 172.101 by the US Department of Transportation

UN ID Number UN3093

Proper Shipping UN3093, Corrosive Liquid, Oxidizing, N.O.S. (Ferric Nitrate Solution), 8(5.1), II

Name

Hazard Class 8 (5.1) Packing Group PG II US DOT Label Corrosive Marine Pollutant No

Emergency 154 Response Guide

Number

This material is regulated as a Dangerous Good per the IMDG Code

UN ID Number

Proper Shipping UN3093, Corrosive Liquid, Oxidizing, N.O.S. (Ferric Nitrate Solution), 8(5.1), II Name

Hazard Class 8 (5.1) Packing Group PG II

Label Corrosive





This material is regulated as a Dangerous Good per the IATA Code

UN ID Number 3093

Shipping Name UN3093, Corrosive Liquid, Oxidizing, N.O.S. (Ferric Nitrate Solution), 8(5.1), II

Hazard Class 8 (5.1) Packing Group PG II

Packing Instructions

855 = More than 1 851 = 1 Liter Or Less

Pressure - No

Liter (CARGO AIRCRAFT ONLY)

Label Corrosive, Oxidizer

Regulatory Information Section 15 -

United States -SARA Hazard Category

This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and

Acute - Yes

Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:

Reactive - Yes

SARA Title III Information

This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

Chemical CAS No. CERCLA RQ (lbs.) SARA Reporting 302 304 313 Ferric Nitrate 10421-48-4 N/A No No Yes 1,000 lbs (453.6 Kg) 7697-37-2 Nitric Acid Yes No Yes

CFRCLA / Superfund, 40 CFR Part 117, 302

If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-

TSCA Nitric acid, iron(3+) salt (3:1) is on the Active TSCA inventory list.

Section 16 - Other Information

Issue Date 10/21/2025

Date of Revision October 2025 section 9 technical data updated. April 2024 Section 14 Transportation Information section updated. June 2019 TSCA Statement revised to include the word 'Active'. August 2018 hazard statements and precautionary statements revised format. January 2018 SDS converted to new format and reviewed. October 2017 SDS update to meet GHS Standards. August 2014 TSCA statement revised. February 2013 revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.

Disclaime

The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

Chronic - No