

# SAFETY DATA 32%

# 32% UREA AMMONIUM NITRATE SOLUTION

# Section 1 - Identification

Product 32% Urea Ammonium Nitrate Solution

Nitrogen fertilizer solution.

Recommended Use:

Manufacturer TradeMark Nitrogen Corp.

Address 1216 Old Hopewell Road, Tampa, FL 33619

Phone (813) 626-1181 **24 Hour Emergency** Chemtrec **Contact** (800) 424-9300

# Section 2 - Hazard Identification



Signal Word: WARNING

**Hazard Statements** 

H302 Harmful if swallowed

H320 Causes serious eye irritation

H335 May cause respiratory irritation

Precautionary

Statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103 Read label before use

P210 Keep away from open flames. - No Smoking

P260 Do not breathe fume, mist, spray, vapours

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P280 Wear eye protection, protective clothing, protective gloves

P331 Do NOT induce vomiting

P301+P330 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P332+P313 If skin irritation occurs: Get medical advice / attention

P337+P313 If eye irritation persists: Get medical advice / attention

P362 Take off contaminated clothing

**P501** Dispose of contents / container according to local, regional, national, and international regulations

### Section 3 - Composition

Ingredients	Component	CAS. No.	Percent by
	Ammonium Nitrate (NH <sub>4</sub> NO <sub>3</sub> )	6484-52-2	38 - 55%
	Urea (CO(NH <sub>2</sub> ) <sub>2</sub> )	57-13-6	29 - 38%
	Water (H <sub>2</sub> 0)	7732-18-5	Balance

Section 4 - First A	id Measures
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.
Skin Contact	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact	If in eyes: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.
Ingestion	If swallowed: Do NOT induce vomiting. If vomiting occurs, attempt to keep head lower than chest so that vomit does not enter into the lungs. Drink large amounts of water. Never give anything by mouth to an unconscious person. Seek medical attention. If affected person requires CPR, avoid mouth to mouth contact. Call for emergency transportation to a hospital if the exposed person feels sick or has breathing difficulties.
Acute Health Hazards	High levels of nitrates may reduce the bloods ability to transport oxygen causing headache, fatigue, dizziness and blue lips and skin (methemoglobinemia). Moderate irritant of eyes, skin, mucous membranes, and contaminated tissue. Prolonged contact can result in tissue damage which could lead to blindness. Ingestion can be harmful or fatal.
Chronic Health Hazards	Methemoglobinemia is the primary health effect. Prolonged skin contact may result in dermititus (inflamation and redness of skin). Repeated ingestion of small amounts may cause weakness, headaches, neurological effects and mental impairment. Possible excessive action of the kidneys and perhaps the bowels can occur.
Section 5 - Fire Fig	phting Measures
Suitable Extinguishing Techniques & Equipment	Not combustible or reactive, use extinguishing media suitable for surrounding material. Wear self-contained breathing apparatus and full protective gear
Chemical Hazards From Fire	In a fire this material may decompose and produce carbon oxides, oxides of nitrogen and ammonia.
Special Fire Fighting Procedures	Use extinguishing agent most appropriate to surrounding materials.
NFPA Rating	Health - 1 (Slight)
	Fire - 0 (Least)
	Reactivity - 0 (Least)
Other	Do not allow run-off from fire fighting to enter drains or water courses.
Section 6 - Accide	ntal Release Measure
Personal Precautions	Avoid splashing. Prevent exposure to spilled material with the use of proper PPE.
Protective Equipment	PPE should include gloves, goggles and protective clothing.
Containment	Avoid release to environment. Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms.
In Case of Spill	Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. If uncontaminated, recover and re-use.
Section 7 - Safe Ha	andling & Storage
Precautions for Safe Handling & Storage	Store in a well ventilated cool dry place. Containers should be kept closed and properly labeled.  While UAN as produced is not classified as an oxidizer, it is important to prevent conditions during handling and storage which may result in the concentration of the product encouraging it to behave as an oxidizer. Do not allow product to evaporate to dryness.
	When the water in UAN evaporates, the residue may include solid ammonium nitrate and urea. When sensitized or during decomposition, solid

may cause crystallization of the product. Do not allow liquid to evaporate, as solid ammonium nitrate residue can explode.

Flammable and comustible materials, strong reducing agents and strong acids, finely powdered metals.

Incompatibility

ammonium nitrate may become unstable or explosive. UAN pumps operated with blocked discharge have been known to detonate. Smothering, contact with organic material, or combustible material may cause an explosion. Thoroughly wash out pipes, tanks, or valves before welding or burning. Residual solidified ammonium nitrate may explode under high temperatures and confinement. Heating above 140°F will promote hydrolysis. Extreme cold ( < 32°F)

Evneaure Limite	ure Controls / Pers	Dormicaild - C	Throobald Limit	Chart Tarre	Immediately Dengarage to			
Exposure Limits	Component	Permissible Exposure Limit	Value	Short Term Exposure Limit	Immediately Dangerous to Life or Health			
	Ammonium Nitrate	Not Established	Not Established	Not Established	Not Established			
	(NH <sub>4</sub> NO <sub>3</sub> )							
	Urea (CO(NH <sub>2</sub> ) <sub>2</sub> )	Not Established	Not Established	Not Established	Not Established			
	Water (H <sub>2</sub> O)	Not Established	Not Established	Not Established	Not Established			
Engineering Controls	Local or general exh	naust. Eyewash and eme	ergency shower fac	cilities should be avail	lable.			
Personal Protective	Eyes	Chemical safety goggl	es or safety glasse	es.				
Equipment	Hands	Impervious chemical p	•					
	Respiratory	None required under r	ormal conditions.	NIOSH approved resp	pirator if there is a mist of the product.			
	Protective Clothing	Protective Clothing						
	IIIS]	M						
	Gloves	Protective Clothing	Goggles	Respiratory Protect	ion			
Section 9 - Physica	al & Chemical Pro	perties						
Appearance and Odor	Colorless to pale ye odor.	llow. Slight ammonia		Relative Density	1.331 @ 60°F (15.5°C)			
Boiling Point	> 212°F at 1 atmosp	ohere		Viscosity	4 - 6 cP			
Freezing Point	No Data Available			Solubility in Water	Miscible in water			
Vapor Pressure	0.06 psia @ 60°F			Flash Point	Not flammable			
Weight per Gallon	11.09 lbs/gal @ 60°	F		рН	6.3 - 7.3			
Gallons per Ton	180.34			Salt-Out Temp	45°F (0°C)			
Flammability Limits	No Data Available			Auto Ignition Temp	Not Flammable			
UEL	No Data Available			LEL	No Data Available			
Section 10 - Stabil	ity & Reactivity							
Reactivity	Product is not reactive under normal conditions. Avoid interaction with heat (flames), oxidizers, acids or alkalis.							
Stability	Product is stable under normal conditions.							
Hazardous Reactions	None known. Hazardous polymerization will not occur.							
nazardous Reactions								
Conditions to Avoid	Do not allow produc	t to evaporate to drynes	s. Keep away from	n direct heat sources.	Avoid heating within a confined space. Avoid incompatibilities and			

Extreme heat may cause decomposing to carbon oxides, ammonia and nitrogen oxides. If product evaporates to dryness, residual solid (Ammonium) can

Hazardous Decomposition Products

be explosive.

Section 11 - Toxico	ology Information							
Routes of Exposure	Inhalation, ingestion or skin/eye absorption							
Symptoms and Signs	Eyes	Mild eye irritation.						
of Exposure	Skin	Mild irritant.						
	Inhalation	May irritate respiratory	tract and mucous	s membranes.				
	Ingestion	Can cause abdominal	pain, vomiting, di	arrhea and methemog	lobinemia.			
Long Term Effects	Methemoglobinemia	nemia is the primary long-term health effect of over-exposure.						
Toxicity	No limits have been	been set for this material.						
Acute Toxicity	Product	Criteria	Species	Dose				
	Urea Ammonium Nitrate Solution	LD50 Dermal	Rat - Male, Female	>5,000 mg / kg				
	Ammonium Nitrate	LD50 Oral	Rat	2,217 mg / kg				
	Urea	LD50 Oral	Rat - Male, Female	2,950 mg / kg				
	Water	LD50 Oral	Rat	>90 g / kg				
	Conclusion:	Very low toxicity to hu	mans					
Irritation & Corrosion	Product	Criteria	Species	Score	Exposure	Observatoin		
	Ammonium Nitrate	Skin	Rabbit	0	-	72 Hours		
		Eyes	Rabbit	3		3 Days		
	Conclusion	Lyes	Nappit	3	-	3 Days		
	Conclusion:							
	Skin:	Non irritating to the sk Irritating to the eyes	111					
Sensitation	Eyes:		Ci	Danult				
Sensitation	Product Ammonium Nitrate	Route of Exposure Skin	Species Mouse	Result Non sensitizing				
	Ammonium Nitrate	SKIII	Mouse	Non sensitizing				
	Conclusion:							
	Skin:	Non-sensitizer						
	Respiratory:	Not available						
Reproductive Toxicity	Product	Maternal Toxicity	Fertility	Development toxin	Species	Dose		
	Ammonium Nitrate	Negative	Negative	Negative	Rat - Male, Female	1,500 mg / kg		
	Conclusion:	No known significant e	effects or critical h	azards				
Specific Target Organ Toxicity (Single Exposure)	No Data Available	No known significant effects or critical hazards						
Specific Target Organ Toxicity (Repeated Exposure)	No Data Available							
Exposure Symptoms	Eye contact:	Irritation, watering						
	Inhalation:	No Data Available						
	Skin Contact:	No Data Available						
	Ingestion:  No Data Available  Over exposure by ingestion is unlikely under normal working conditions. Adverse symptoms may include nausea or vomiting,							
	ingestion.	stomach pains, diarrh	-	-	conditions. Adverse symp	torns may include hausea or vorniting,		
Potential Chronic Health Effects	General	No known significant effects or critical hazards						
	Carcinogenicity	inogenicity Potential for Nitrosamine formation if ingested. Do not ingest.						
	Mutagenicity	No known significant effects or critical hazards						
	Teratogenicity	No known significant	effects or critical h	azards				
	Developmental	No known significant	effects or critical h	azards				
	Effects							
	Fertility Effects	No known significant of	effects or critical h	azards				
Carcinogen	The International Agency for Research on Cancer has not classified Urea Ammonium Nitrate for its carcinogenic potential (IARC 1987).							
California Prop 65	Components of this product are not listed on the active California Prop 65 database.							

Water		ical Information High concentrations may be harmful to fish and other aquatic organisms.						
		·	•					
Ecotoxicity	Product	Criteria	Result	Species	Exposure			
	Urea Ammonium Nitrate Fertilizer Solution	NOEC	> 1,700 mg/l marii	r Algae	10 Days			
		Acute EC50	490 mg/l fresh water	Daphnia	48 hours			
		Acute LC50	447 mg/l fresh water	Fish	48 hours			
	Ammonium Nitrate	Chronic NOEC	6 to 12 μg/I fresh water	Custaceans - Cladocera	21 Days			
	Urea	Acute EC50	3910000 µg/l fresh water	Daphnia - Daphnia Magna - Neonate	48 hours			
		Acute LC50	1,000 mg/l Marine Water	Crustaceans - Chaetogammarus marinus - young	48 hours			
		Acute LC50	5,000 µg/l fresh water	Fish - Colisa Fasciata - Fingerling	96 Hours			
		Chronic NOEC	2 g/L Fresh water	Fish - Heteropneustes fossils	30 days			
Persistence and Degradability	Readily biodegradab	ble						
Bioaccumulative potential	No Data Available							
Mobility in soil	No Data Available							
Other adverse effects	May be harmful to th	ne environment if relea	ased in large quantitie	s. Excessive nutrien	t runoff to a body of water may result in eutrophication.			
Section 13 - Dispo	sal Consideration	s						
Waste	Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling.							
Additional Information	Dispose of used containers at an approved waste handling facility. Empty containers may contain residue of the product, follow label warnings even after container is emptied.							
Section 14 – Trans	port Information  Not regulated as dangerous goods							

# Section 15 - Regulatory Information

United States - SARA Hazard Category This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:

SARA Title III Information

Fire - No Pressure - No Reactive - No Acute - No Chronic - No

This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Chemical	CAS No.	CERCLA RQ (lbs.)	SARA Reporting			
			302	304	313	
Ammonium Nitrate	6484-52-2	N/A	N/A	N/A	Yes <sup>(1)</sup>	
Urea	57-13-6	N/A	N/A	N/A	N/A	

(1) - As nitrate compounds (water dissociable)

CERCLA / Superfund, 40 CFR Part 117, 302 If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.

All components of this product are listed on the Active TSCA inventory.

# Section 16 - Other Information

Issue Date

**TSCA** 

12/5/2025

Date of Revision

July 2020 SDS section 12 updated. June 2018 SDS format updated. August 2014 TSCA statement revised. February 2013 revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.

Disclaimer

The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.