## TRADEMARK NITROGEN



## SAFETY DATA SHEET 46% SODIUM NITRATE Solution

SHELL		
Section 1 – Iden	tification	
Product	46% SODIUM NITRATE Solution	Recommended Use:
		A component in several reactions carried out on
Manufacturer	TradeMark Nitrogen Corp.	industrial scales for the production of concrete
Address	1216 Old Hopewell Road, Tampa, FL 33619	admixtures, odor control in municipal waste
Phone	(813) 626-1181 (800) 452-3107	water, and other uses
24 Hour	Chemtrec	
Emergency	(800) 424-9300	
Contact		
Section 2 – Haza	rd Identification	
GHS07	GH505	
Signal Word:	WARNING	
Hazard Statement	-	
	<sup>2</sup> Harmful if swallowed	
	5 Causes skin irritation	
	Causes eye irritation	
	L May cause damage to organs (blood)	
	2 Harmful to aquatic life	
Precautionary Statements:		
P210	D Keep away from open flames No Smoking	
P220	D Keep / Store away from combustible materials	
P22:	L Take any precaution to avoid mixing with combustible n	naterials
P260	Do not breathe fume, mist, spray, vapours	
P264	Wash hands thoroughly after handling	
P270	Do not eat, drink or smoke when using this product	
P273	3 Avoid release to the environment	
P280	Wear eye protection, protective clothing, protective glo	ves
P302+P352	2 IF ON SKIN: Wash with plenty of water	
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minut present and easy to do. Continue rinsing	tes. Remove contact lenses, if
P332+P313	If skin irritation occurs: Get medical advice / attention	
P337+P313	If eye irritation persists: Get medical advice / attention	
P362	2 Take off contaminated clothing	
P370+P378	3 IN CASE OF FIRE: use water in large amounts, water spra	ay for extinction
P40	5 Store locked up	
P50:	L Dispose of contents / container according to local, regio regulations	nal, national, and international

## Section 3 – Composition

Ingredients	Component	CAS. No.	Percent by Weight
	Sodium Nitrate (NaNO₃)	7631-99-4	45-47%
	Water (H <sub>2</sub> 0)	7732-18-5	59-61%

Inhalation			6 6 11 6 1					
	If inhaled: Remove	person to fresh air and kee	ep comfortable for b	reathing. Provide ar	ificial respiration if necessary. Seek medical attention if necessary.			
kin Contact	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes. Liquid is hot - may need to treat exposed person for burns.							
ye Contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.							
ngestion	If swallowed: Do N	OT induce vomiting. Drink	large amounts of wa	ater. Never give anyt	hing by mouth to an unconscious person. Seek medical attention.			
Acute Health Hazards	High levels of nitrat	es may reduce the bloods	ability to transport o	oxygen causing head	ache, fatigue, dizziness and blue lips and skin (methemoglobinemia).			
Chronic Health Iazards	Methemoglobinemia is the primary health effect, but possible excessive action of the kidneys and perhaps bowels can occur.							
ection 5 – Fire	Fighting Measures							
uitable Extinguishing Techniques & Equipment	46% Sodium Nitrate	e is a non-flammable aque	ous solution. Floodir	ng quantity of water	is recommended in the event of a fire.			
Chemical Hazards From Fire	If product evaporat	es to dryness, the remainin	ng solid residue may	pose a slight fire ha	zard.			
Special Fire Fighting Procedures	Sodium Nitrate is a	Sodium Nitrate is an oxidizer. Wear full protective clothing and positive-pressure seal-contained breathing apparatus.						
NFPA Rating	Health - 2 (Slight)							
	Fire - 0 (Least)							
other		f from fire fighting to ente	r drains or water cou	urses.				
Personal	Avoid splashing. Prevent exposure to spilled material with the use of proper PPE.							
Precautions Protective	PPE should include gloves, goggles, face shield and level C protective suit.							
iquipment Containment	Control the flow of	product using dikes of soil	, sand bags or other	commercially availa	ble inert sorbent socks or booms.			
n Case of Spill		h inert absorbent. Avoid s	-		spill in diked area. Prevent discharge to sewers or water ways. If			
ection 7 – Safe	Handling & Storag							
Precautions for Gafe Handling & Gtorage	Use caution when handling/transferring. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Do not breath mist or vapor. Use only with adequate ventilation. Wear appropriate personal protective equipment. Transfer and storage should be compatible. Observe good industrial hygiene practices.							
ncompatibility		120°F. Keep container tigh regulations regarding han			ilated place. Story away from incompatible materials (See Section 10).			
ection 8 – Expo	sure Controls / Pe	rsonal Protection						
xposure Limits	Component	Permissible Exposure	Threshold Limit	Short Term	Immediately Dangerous to			
		Limit	Value	Exposure Limit	Life or Health			
	Sodium Nitrate (NaNO₃)	Not Established	Not Established	Not Established	Not Established			
	Water (H <sub>2</sub> O)	Not Established	Not Established	Not Established	Not Established			
ngineering ontrols	Local or general ext	naust. Eyewash facilities sh	ould be available.					
ersonal	Eyes	Chemical safety goggle	es or safety glasses.					
rotective	Hands Impervious chemical protective gloves.							
Equipment	Respiratory     None required under normal conditions. NIOSH approved respirator if there is a mist of the product.       Protective Clothing							
	nu Lun	A						
	M. KI							

Section 9 – Physi	cal & Chemical Pro	perties					
Appearance and	Clear to pale yellow I	liquid with little to no		Specific Gravity	1.38 @ 68°F		
Odor	detectable odor.						
Boiling Point	212°F	Molecular Weight N/A		N/A			
Freezing Point	N/A			Solubility in Water	Highly soluble in water		
Vapor Pressure	No Data Available			Evaporative Rate	No Data Available		
Weight per Gallon	11.5 lbs/gal @ 68°F			рН	4 - 8		
Flash Point	No Data Available			Salt-Out Temp	N/A		
Flammability	No Data Available			Auto Ignition	Not Flammable		
Limits				Temp			
JEL	No Data Available			LEL	No Data Available		
Section 10 – Stab	ility & Reactivity						
Reactivity	Product is not reactive	ve under normal condit	tions.				
itability	Product is stable und	ler normal conditions.					
Hazardous	Hazardous polymeriz						
Reactions							
Conditions to	Do not allow product	t to evaporate to drvne	ss. Keep away from he	at. Avoid heating wit	hin a confined space. Avoid incompatibilities, contamination and		
Avoid	combustible material				· · · · · · · · · · · · · · · · · · ·		
ncompatible			ials, strong acids and ch	nlorates.			
Vaterials		,	,				
Hazardous	NOx (Nitrogen Oxide	:)					
Decomposition		,					
Products							
ection 11 – Toxi	cology Information						
Routes of	Inhalation, ingestion	or skin/eye absorption	1				
xposure							
Symptoms and	Eyes	Causes eye irritation.					
Signs of Exposure	Skin	Mild irritant.					
	Inhalation May irritate respiratory tract causing cough and sore throat.   Ingestion Can cause abdominal pain, vomiting, diarrhea and methemoglobinemia.						
T 500 1					binemia.		
ong Term Effects	Methemoglobinemia	Vethemoglobinemia is the primary long-term health effect.					
Foxicity	Sodium Nitrate						
	Rat Oral Toxicity	LD <sub>50</sub>	1276 mg/kg				
	(OECD Guide 401)						
Carcinogen	The International Age	ency for Research on C	ancer has not classified	sodium nitrate for it	s carcinogenic potential (IARC 1987).		
Section 12 – Ecol	ogical Information						
Sodium Nitrate	7631-99-4				Aguatic Toxicity Data:		
Persistence and degradability:	No Data Available				LC50 Gambusia affinis: 6650 mg/L - 96H		
Bioaccumulative	No Data Available						
potential:							
Mobility in soil:	No Data Available						
Other adverse	No Data Available						
effects:							
Section 13 – Disp	osal Consideration	S					
Waste		t considered a hazardo ainer with correct labeli		t be done in accorda	nce with local, state and federal environmental regulations. Place waste in		
	This material is highly water soluble. Landfills receiving this material should be equipped to contain leachate.						

Section 14 – Trar	nsport Information						
DOT	Not regulated as dar	ngerous goods					
IMDG	Not regulated as dar	ngerous goods					
IATA	Not regulated as dar	ngerous goods					
Section 15 – Reg	ulatory Information	n					
United States - SARA Hazard Category							
	Fire - No	Pressure - No	Reactive - No	Acute - Yes	Chronic - No		
SARA Title III	This product contain	ns the following substan	ces subject to the repo	rting requirement	s of Title III (EPCR)	A) of the Superfund Amendments and Reauthorization A	
Information	Chemical	CAS No.	CERCLA RQ (lbs.)	SARA Reporting			
				302	304	313	
	Sodium Nitrate	7631-99-4	N/A	N/A	N/A	Yes <sup>(1)</sup>	
	<sup>(1)</sup> As nitrate compounds (water dissociable)						
CERCLA / Superfund, 40 CFR Part 117, 302	If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.						
TSCA	Sodium Nitrate salt is listed on the TSCA inventory.						
Section 16 - Oth	er Information						
Issue Date:	3/11/2024						
Date of Revision	March 2024 revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.						
Disclaimer	The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.						