

PRILLED UREA

Section 1 – Identification

Product Urea - Prilled
(Dry urea, carbamide, carbonyl diamide)

Recommended Use:
Used in SCR for Nox control systems and adhesives.

Manufacturer TradeMark Nitrogen Corp.

Address 1216 Old Hopewell Road, Tampa, FL 33619

Phone (813) 626-1181

24 Hour Chemtrec U.S.A.

Emergency Contact (800) 424-9300

Section 2 – Hazard Identification



GHS07

Signal Word: **WARNING**

Hazard Statements:

- H303 May be harmful if swallowed
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation

Precautionary Statements:

- P101 If medical advice is needed, have product container or label on hand.
- P102 Keep out of reach of children
- P103 Read label before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from open flames. - No Smoking
- P211 Do not spray on an open flame or other ignition source
- P220 Keep / Store away from combustible materials
- P261 Avoid breathing dust
- P264 Wash hands thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well ventilated area
- P273 Avoid release to the environment
- P280 Wear eye protection, protective clothing, protective gloves
- P311 Call a POISON CENTER or doctor / physician
- P331 Do NOT induce vomiting (unless instructed by poison center or doctor)
- P302+P352 IF ON SKIN: Wash with plenty of water
- P304+P340 IF INHALED: Remove victim to fresh air and
- P305+P351+ P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P332+P313 If skin irritation occurs: Get medical advice / attention
- P337+P313 If eye irritation persists: Get medical advice / attention
- P362 Take off contaminated clothing
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up
- P501 Dispose of contents / container according to local, regional, national, and international regulations

Section 3 – Composition

| Ingredients | Component | CAS. No. | Percent by Weight |
|-------------|--|----------|-------------------|
| | Urea (CO(NH ₂) ₂) | 57-13-6 | 97.5 - 99.7% |
| | Biuret (H ₂ NC(O)NHC(O)NH ₂) | 108-19-0 | < 1.5% |
| | Conditioner (Methlenediurea) | | 0 - 1.5% |

Section 4 – First Aid Measures

| | |
|------------------------|--|
| Inhalation | If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary. |
| Skin Contact | If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes. |
| Eye Contact | If in eyes: Immediately flush eyes with water. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention as necessary. |
| Ingestion | If swallowed: Call a poison control center or doctor immediately for treatment advice. Drink small amounts of water if able. Do NOT induce vomiting unless instructed by poison control center or doctor. Never give anything by mouth to an unconscious person. |
| Acute Health Hazards | Ingestion may cause irritation to the digestive track including nausea, vomiting and diarrhea. May also depress the central nervous system (feelings of drowsiness). |
| Chronic Health Hazards | No known long term effects. |

Section 5 – Fire Fighting Measures

| | |
|---|--|
| Suitable Extinguishing Techniques & Equipment | This product is non-flammable however will burn at high temperatures. Use extinguishing media suitable for surrounding material. |
| Chemical Hazards From Fire | Thermal decomposition occurs above 270°F and will produce carbon dioxide, nitrogen oxides and ammonia. |
| Special Fire Fighting Procedures | Evacuate non-essential personnel from the area to prevent exposure to fire, smoke, fumes or products of combustion. Use extinguishing agent most appropriate to surrounding materials. Keep material wet to prevent nitrate salts from forming as they can support combustion or become explosive. |
| NFPA Rating | Health - 1 (Slight) Fire - 0 (Least) Reactivity - 0 (Low) |
| Other | Do not allow run-off from fire fighting to enter drains or water courses. |



Section 6 – Accidental Release Measure

| | |
|----------------------|--|
| Personal Precautions | Avoid splashing. Prevent exposure to spilled material with the use of proper PPE. |
| Protective Equipment | PPE should include chemical resistant gloves, goggles, face shield and level C protective suit. |
| Contain-ment | Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms. |
| In Case of Spill | Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. If uncontaminated, recover and re-use. |

Section 7 – Safe Handling & Storage

| | |
|---|---|
| Precautions for Safe Handling & Storage | Storage: Store in a well ventilated cool, dry place. Containers should be kept closed and labeled properly. Handling: Avoid contact with skin and eyes. Avoid breathing dust. Wear recommended personal protective equipment. Avoid creating or spreading dust. Handle in accordance with good industrial hygiene and safety procedures. |
| Incompatible Materials | Avoid containers, pipings or fittings made of brass, bronze or other copper bearing alloys or galvanized metals. Nitric acid, hypochlorites, nitrosyl perchlorate, gallium perchlorate and phosphorus pentachloride. |

Section 8 – Exposure Controls / Personal Protection

| Exposure Limits | Component | Permissible Exposure Limit | Threshold Limit Value | Short Term Exposure Limit | Immediately Dangerous to Life or Health |
|-----------------|---|----------------------------|-----------------------|---------------------------|---|
| | Urea (CO(NH ₂) ₂) | Not Established | Not Established | Not Established | Not Established |
| | Biuret (H ₂ NC(O)NHC(O)NH ₂) | Not Established | Not Established | Not Established | Not Established |
| | Conditioner (Methlenediurea) | Not Established | Not Established | Not Established | Not Established |

Engineering Controls Use in a well ventilated area. Eye wash stations and showers should be readily available.

Personal Protective Equipment
 Eyes Chemical safety goggles or face shield.
 Hands Impervious chemical protective gloves.
 Respiratory None required under normal conditions. NIOSH approved respirator if there is a mist or dust of the product.
 Protective Clothing Chemical resistant clothing and rubber boots



Gloves



Goggles



Protective Clothing



Respiratory Protection

Section 9 – Physical & Chemical Properties

| | | | |
|---------------------|--|---------------------|----------------------|
| Appearance and Odor | White solid granular shape with slight ammonia smell | Specific Gravity | 1.34 @ 60°F (15.5°C) |
| Melting Point | Decomposes above 275°F (135°C) | Molecular Weight | 60.056 |
| Freezing Point | Not applicable | Solubility in Water | 1,193 g/l @ 25°C |
| Vapor Pressure | 80 Pa @ 20°C | Evaporative Rate | Not applicable |
| Weight per Gallon | Not applicable | pH | 7 - 8 |
| Flash Point | Not applicable | Salt-Out Temp | Not applicable |
| Flammability Limits | Not applicable | Auto Ignition Temp | No Data Available |
| UEL | N/A | LEL | N/A |

Section 10 – Stability & Reactivity

| | |
|----------------------------------|---|
| Reactivity | Product is not reactive under normal conditions. |
| Stability | Product is stable under normal conditions. |
| Hazardous Reactions | Hazardous polymerization will not occur |
| Conditions to Avoid | Do not allow product to evaporate to dryness. Elevated temperatures may cause container to rupture. Avoid contact with strong acids and strong oxidizers. |
| Incompatible Materials | Avoid contact with strong oxidizers, strong acids, nitrates and chlorates. Nitric acid, hypochlorites, nitrosyl perchlorate, gallium perchlorate and phosphorus pentachloride. Reacts with sodium or calcium hypochlorite to form explosive nitrogen trichloride. |
| Hazardous Decomposition Products | Under normal conditions of storage and useage, hazardous decomposition products should not be produced. Extreme heat may cause decomposition to ammonia, carbon dioxide and nitrogen oxides. |

Section 11 – Toxicology Information

| | | | | |
|--------------------------------|--|---|------------------|----------------|
| Routes of Exposure | Inhalation, ingestion or skin/eye contact | | | |
| Symptoms and Signs of Exposure | Eyes | May cause eye irritation. May result in redness, tearing or blurred vision. | | |
| | Skin | Mild irritant. May result in redness and itching. | | |
| | Inhalation | Inhalation of mist may cause irritation to the respiratory tract. | | |
| | Ingestion | General irritation of the respiratory tract. | | |
| Long Term Effects | Prolonged skin contact may result in dermatitis (inflammation and redness of skin). Repeated ingestion of small amounts may cause weakness, depression, headaches, neurological effects and mental impairment. No limits have been set for this material. | | | |
| Carcinogen | The International Agency for Research on Cancer has not classified urea for its carcinogenic potential (IARC 1987). | | | |
| California Prop 65 | Not Listed | | | |
| Toxicity | Oral | Rat | LD ₅₀ | >10,000 ppm |
| | Oral | Cattle - Male | TDL ₀ | 200 mg(N) / kg |

Section 12 – Ecological Information

| | | | | |
|-------------------------------|---|--|--|--|
| Water | Low concentrations are not toxic to fish or other aquatic organisms. High concentrations may encourage excessive algae growth and eutrophication. | | | |
| Ecotoxicity | Non-toxic to aquatic organisms as defined by USEPA. | | | |
| Persistence and Degradability | Ultimately biodegradable, Non-toxic to aquatic organisms as defined by USEPA. | | | |
| Bioaccumulative Potential | No Data Available | | | |
| Mobility in Soil | When released to soil, urea will hydrolyze into ammonium in a matter of days to several weeks. | | | |
| Other Adverse Effects | No additional information available. | | | |

Section 13 – Disposal Considerations

| | |
|-------|---|
| Waste | Urea is not considered a hazardous waste. Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling. |
|-------|---|

Section 14 – Transport Information

US DOT

This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation

| | |
|----------------------|-----|
| UN ID Number | N/A |
| Proper Shipping Name | N/A |
| Hazard Class | N/A |
| Packing Group | N/A |
| US DOT Label | N/A |
| Authorized Packaging | N/A |

IMDG

This material is not classified as a dangerous good per the IMDG code.

| | |
|----------------------|-----|
| UN ID Number | N/A |
| Proper Shipping Name | N/A |
| Hazard Class | N/A |
| Packing Group | N/A |
| US DOT Label | N/A |
| Authorized Packaging | N/A |

IATA

This material is not classified as a dangerous good per the IATA code.

UN ID Number N/A

Proper Shipping Name N/A

Hazard Class N/A

Packing Group N/A

US DOT Label N/A

Authorized Packaging N/A

Section 15 – Regulatory Information

United States - SARA Hazard Category This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:

Fire - no Pressure - no Reactive - no Acute - yes Chronic - no

SARA Title III Information This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| Chemical | CAS No. | CERCLA RQ (lbs.) | SARA Reporting | | |
|---|---------|------------------|----------------|-----|-----|
| | | | 302 | 304 | 313 |
| Urea (CO(NH ₂) ₂) | 57-13-6 | N/A | N/A | N/A | N/A |

CERCLA / Superfund, 40 CFR Part 117, 302 If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.

TSCA Urea is listed on the Active TSCA Inventory List.

Section 16 – Other Information

Date of Issue 5/20/2026

Date of Revision May 2026 SDS Section 1 Recommended Use updated. February 2021: SDS Formatting updated. September 2014: updated sections 9, 11, 15. May 2014: TSCA statement revised. February 2013: revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet GHS Standards.

Disclaimer The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.