



# C-Nite<sup>®</sup> CALCIUM NITRITE 30% SOLUTION

# Section 1 - Identification

Product C-Nite® Calcium Nitrite 30% Solution Recommended Use: As a corrosion inhibitor in concrete

Manufacturer TradeMark Nitrogen Corp.

1216 Old Hopewell Road, Tampa, FL 33619 Address

(813) 626-1181 Phone 24 Hour Chemtrec **Emergency** (800) 424-9300 Contact

## Section 2 - Hazard Identification



WARNING Signal Word:

#### **Hazard Statements:**

H302 Harmful if swallowed H320 Causes eye irritation

## **Precautionary Statements:**

P260 Do not breathe dust / fume / gas / mist / vapors / spray

P264 Wash thoroughly after handling

P270 Do not eat, drink or smoke when using this product

### Section 3 - Composition

| Ingredients | Component  | CAS. No.   | Percent by |
|-------------|--|------------|------------|
|             | Calcium Nitrate<br>Ca(NO <sub>3</sub> ) <sub>2</sub> | 10124-37-5 | <3%        |
|             | Calcium Nitrite<br>Ca(NO <sub>2</sub> ) <sub>2</sub> | 13780-06-8 | 30 - 32%   |
|             | Water (H <sub>2</sub> 0)                             | 7732-18-5  | Balance    |

|  |  | /leasures |
|--|--|-----------|
|  |  |           |
|  |  |           |

| Inhalation   | If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.   |
|--------------|--|
| Skin Contact | If on skin (or hair): Take off all contaminated clothing. Rinse skin immediately with soap and water for at least 15 minutes. Seek medical attention if irritation persists.   |
| Eye Contact  | If in eyes: Rinse cautiously with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present and easy to do. Seek medical attention at once.   |
| Ingestion    | If swallowed: Immediately contact a physician or poison control center. Do NOT induce vomiting, unless advised by a medical professional.  Drink one to two glasses of water. Never give anything by mouth to an unconscious person. |
| Acute Health | High levels of nitrates may reduce the bloods ability to transport oxygen causing headache, fatigue, dizziness and blue lins and skin  |

Hazards

High levels of nitrates may reduce the bloods ability to transport oxygen causing headache, fatigue, dizziness and blue lips and skin

Chronic Health Hazards

Methemoglobinemia is the primary health effect, but possible excessive action of the kidneys and perhaps bowels can occur.

#### Section 5 - Fire Fighting Measures

Suitable Extinguishing Techniques & Equipment

Calcium Nitrite is an non-flammable aqueous solution and will not burn. However, if evaporated to dryness this product is an oxidizer and can

sustain combustion.

Extinguishing Media: Dry chemical, carbon dioxide, water fog.

Chemical Hazards From If product evaporates, residual solid may sustain combustion. Decompostion may yield calcium compounds and oxides of nitrogen.

Fire Special Fire

Fire fighters should wear full-face, self contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling

Procedures

Fighting

Personal

any combustion products.

NFPA Rating Health - 2 (Moderate)

Fire - 0 (Least) Reactivity - 0 (Least)



Other Do not allow run-off from fire fighting to enter drains or water courses.

#### Section 6 - Accidental Release Measure

Avoid splashing. Prevent exposure to spilled material with the use of proper PPE. Precautions Protective PPE should include gloves, goggles, face shield and impervious clothing. Equipment Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms. Prevent entry into Containment sewers, drains, underground or confined spaces, water intakes and waterways.

In Case of Spill Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. Follow all local, state, ferderal and provincial laws and regulations for disposal.

#### Section 7 – Safe Handling & Storage

Precautions for Safe Handling & Storage

Open container carefully, as needed to relieve any build up of pressure. Do not get this material in your eyes, on your skin, or on your clothing. Do not inhale vapors or mists of this product. Use this product with adequate ventilation. Wash thoroughly after handling. Store in a well ventilated cool dry place. Do not freeze. Store away from direct sunlight and any sources of heat. Empty product containers may contain residue. Do not reuse empty containers. Do not store this material in open or unlabled containers.

Incompatibility Avoid contact with ammonium salts, activated carbon, reducing agents, cyanides. Residue would be incompatible with combustible materials.

#### Section 8 – Exposure Controls / Personal Protection

Exposure Limits Component Permissible Exposure Threshold Limit Short Term Immediately Dangerous to Limit Value **Exposure Limit** Life or Health Calcium Nitrite Not Established Not Established Not Established Not Established Calcium Nitrate Not Established Not Established Not Established Not Established Water (H<sub>2</sub>O) Not Established Not Established Not Established Not Established

Engineering

Local or general exhaust. Eyewash facilities should be available.

Controls Personal

Eyes Chemical safety goggles or safety glasses.

Protective Hands Equipment

Impervious gloves.

Respiratory

None required under normal conditions. NIOSH approved respirator if there is a mist of the product.

Protective Clothing Impervious chemical clothing



Gloves



Goggles



Safety Glasses



| Section 9 - Ph                         | ysical & Chemica   | al Properties   |              |                                     |  |  |  |
|--|--|---|--------------|-------------------------------------|--|--|--|
| Appearance and Odor                    | <u> </u>   | colorless liquid with   |              | Specific Gravity                    | 1.28 - 1.36                                |  |  |
| Boiling Point                          | Approx. 226°F (108   | °C) at 1 atmosphere   |              | Molecular<br>Weight                 | N/A  |  |  |
| Freezing Point                         | No Data Available  |   |              | Solubility in Complete (100%) Water |  |  |  |
| Vapor Pressure                         | No Data Available  |   |              | Evaporative Rate                    |  |  |  |
| Gallons per Ton                        |  |   |              | рН                                  | 8.5 - 9.5                                  |  |  |
| Weight per<br>Gallon                   |  |   |              | Salt-Out Temp                       | No Data Available                          |  |  |
| Flash Point                            | >200°F (>93° C)  |   |              | Auto Ignition<br>Temp               | Not Flammable                              |  |  |
| Flammability                           | No Data Available  |   |              | LEL                                 | No Data Available                          |  |  |
| Limits                                 |  |   |              | UEL                                 | No Data Available                          |  |  |
| Section 10 – S                         | tability & Reactiv   | ity   |              |                                     |  |  |  |
| Reactivity                             | Product is not react   | ive under normal conditi  | ons.         |                                     |  |  |  |
| Stability                              | Product is stable un   | der normal conditions.  |              |                                     |  |  |  |
| Hazardous<br>Reactions                 | Hazardous polymerization will not occur.   |   |              |                                     |  |  |  |
| Conditions to<br>Avoid                 | Do not allow product to evaporate to dryness, product residue may act as an oxidizer and support combustion. Avoid extreme heat. Avoid incompatible materials.   |   |              |                                     |  |  |  |
| Incompatible<br>Materials              | Avoid contact with ammonium salts, activated carbon, reducing agents, cyanides. Residue would be incompatible with combustible materials.  |   |              |                                     |  |  |  |
| Hazardous<br>Decomposition<br>Products | Decomposition may yield calcium compounds and oxides of nitrogen.  |   |              |                                     |  |  |  |
| Section 11 – T                         | oxicology Inform   | ation   |              |                                     |  |  |  |
| Routes of<br>Exposure                  | Inhalation, ingestion or skin/eye absorption   |   |              |                                     |  |  |  |
| Symptoms and                           | Eyes   | Causes moderate eye   | irritation.  |                                     |  |  |  |
| Signs of                               | Skin   | Mild irritant.  |              |                                     |  |  |  |
| Exposure                               | Inhalation   | May irritate respiratory tract causing sneezing, cough and sore throat. |              |                                     |  |  |  |
|  | Ingestion  If ingested this product will immediately cause burns to the mouth, throat, esophagus and possibly the digestive tract.  Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. This product may cause methemoglobinemia upon ingestion characterized by cyanosis, headache, dizziness, fatigue, nausea, vomiting, drowsiness, stupor, coma, and rarely death. |   |              |                                     |  |  |  |
| Acute Health<br>Hazards                |  |   |              | -                                   | eyes, respiratory system                   |  |  |
| Long Term<br>Effects                   | and skin. The nitrate component of this product may cause Methemoglobinemia.  Methemoglobinemia is the primary long-term health effect. Repeated skin contact with this material may cause dermatitis.   |   |              |                                     | t with this material may cause dermatitis. |  |  |
| Toxicity                               | Calcium Nitrite<br>13780-06-8  |   |              |                                     |  |  |  |
|  | Rat Oral Toxicity  | LD <sub>50</sub>  | 940 mg / kg  |                                     |  |  |  |
|  | Water (7732-18-5)  |   |              |                                     |  |  |  |
|  | Rat Oral Toxicity  | LD <sub>50</sub>  | >90 mL / kg  |                                     |  |  |  |
|  | Tat Oral Toxiony   | 50  | · oo me / ng |                                     |  |  |  |

IARC: Monograph 94 posted (related to nitrates) Group 2A (probably carcinogenic to humans)

Carcinogen

#### Section 12 - Ecological Information

General Product In high concentrations, this product may be harmful to either terrestrial and aquatic plant life

Information

Ecotoxicity Aquatic Toxicity: 96 Hr LC50 Leomis 120 Calcium Nitrate Macrochirus Da

120 Hr EC50 Daphnia Magna

(10124-37-5)

, 10000 mg / l

10000 mg / L 2355 mg / L

| Endpoint  | Test Duration | Species                       | Value      | Source |  |
|---|---------------|-------------------------------|------------|--------|--|
| EC50  | 48 hrs        | Crustacea                     | 45 mg/l    | 1      |  |
| LC50  | 96 hrs        | Fish                          | >100 mg/l  | 1      |  |
| EC50  | 72 hrs        | Algae or other aquatic plants | > 100 mg/l | 1      |  |
| EC50(ECx)   | 48 hrs        | Crustacea                     | 45 mg/l    | 1      |  |
| *1: Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity |               |                               |            |        |  |

#### Section 13 - Disposal Considerations

Waste

Calcium Nitrite is not considered a hazardous waste. Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling.

#### **Section 14 – Transport Information**

This product is not classified as hazardous as defined by 49 CFR 172.101 by the US Department of Transportation

This product is not regulated as a hazardous material for transportation as defined by Canada's Transportation of Dangerous Goods Information.

#### Section 15 - Regulatory Information

United States -SARA Hazard Category This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:

Fire - No Pressure - No Reactive - No Acute - Yes Chronic - No

SARA Title III Information

This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

| Chemical        | CAS No.    | CERCLA RQ ( | Q (Ibs SARA Reporting |     |                    |  |  |
|-----------------|------------|-------------|-----------------------|-----|--------------------|--|--|
|                 |            |             | 302                   | 304 | 313                |  |  |
| Calcium Nitrite | 13780-06-8 | N/A         | N/A                   | N/A | N/A                |  |  |
| Calcium Nitrate | 10124-37-5 | N/A         | N/A                   | N/A | Yes <sup>(1)</sup> |  |  |

(1) - Thefollowing components are subject to reporting levels established by SARA Title III 313:

Calcium Nitrate 10124-37-5 >= 1 - < 5%

CERCLA / Superfund, 40 CFR Part 117, 302 If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.

TSCA

All chemical substances in this product are either listed as Active on the TSCA inventory or are in compliance with a TSCA Inventory exemption

#### Section 16 – Other Information

Date of Issue 2/17/2025

Date of Revision Fe

February 2025 Section 9 Specific Gravity updated. July 2024 SDS updated to reflect new pH range. May 2023 Aquatic toxicity data added. October 2022 formatting update. October 2019 Section 9 updated. June 2019 TSCA Statement revised to include the word 'Active'. SDS Created October 2018

Disclaimer

The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.